


General Purpose Day & Night IR Camera

IR2036



Key Features

- 1/3" SONY SuperHAD CCD, 420 TVL
- Sony DSP Chipset
- 4.3 mm lens
- 36 nos. of 850nm IR LED, 25 meters coverage
- Made in Taiwan




Specifications

Brand	TANDÉR
Model	IR2036
Image Pick-up Devide	1/3 " SONY Super HAD CCD
Signal System	PAL
Total /Effective Pixels	537(H)x 597(V) 320K
Scanning System	2 : 1 Interlace
Lens	4.3 mm
Scanning Frequency	15.625Hz(H), 50Hz(V)
Resolution	420TV lines
Video Output	CVBS : 1.0Vp-p / 75 composite BNC Connector
S / N Ratio	More than 48dB (AGC Off)
IR LED	36 nos. of 850nm IR LED, 25 meters coverage
Min. Illumination	0.1 Lux (F : 1.2) , 0 Lux (IR LED On)
Sync. System	Internal
Signal Process	Digital Signal Processing
Back Light Compensation	Built-in
Gain Control	Auto
Electronic Shutter Speed	Auto / (1/50 ~ 1/100,000)
White Balance	Auto tracking 2500K to 9500K
Power Source	12V DC \pm 0%
Power Consumption	110 mA (IR LED off) , 330 mA (IR LED on)
Operating Temperature	-10 C ~ 50 C
Operating Humidity	0% ~ 80% RH
Dimension	64.5mm(O) x 105mm(D)
Weight	380g
Country Of Origin	Taiwan

Dimensions

(UNIT: mm)



TANDÉR®